

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in WTR [West Tennessee Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	15	25	a
Black, not Hispanic	31	69	a	12	80	a	43	72	a
Hispanic	*	*	a	0	0	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	*	*	a	*	*	a
Total	45	100	a	15	100	a	60	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by sex and age at diagnosis, 2005

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	*	*	*	*
25-34	*	*	*	*	13	22
35-44	*	*	*	*	22	37
45-54	5	11	5	33	10	17
55-64	*	*	*	*	7	12
>=65	*	*	0	0	*	*
Total	45	100	15	100	60	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by sex and exposure category, 2005

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	15	33	a	a	15	25
Injection drug use (IDU)	*	*	*	*	6	10
Male-to-male sex and IDU	*	*	a	a	*	*
Heterosexual contact	14	31	5	33	19	32
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	*	*	*	*	*	*
Total	45	100	15	100	60	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by race/ethnicity and exposure category, 2005

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	8	53	7	16	0	0	0	0	0	0	0	0	15	25
Injection drug use (IDU)	*	*	*	*	*	*	0	0	0	0	0	0	6	10
Male-to-male sex and IDU	*	*	0	0	0	0	0	0	0	0	0	0	*	*
Heterosexual contact	*	*	16	37	*	*	0	0	0	0	0	0	19	32
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Total	15	100	43	100	*	100	0	0	0	0	0	0	60	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by sex and tuberculosis comorbidity, 2005

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	44	98	15	100	59	98
Definitive case	*	*	0	0	*	*
Presumptive case	*	*	0	0	*	*
Total	45	100	15	100	60	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	*	*	a
Black, not Hispanic	12	80	a	7	78	a	19	79	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	*	a	*	*	a	*	*	a
Total	15	100	a	9	100	a	24	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	37	31	33	40	45	602
Females	20	11	12	16	15	210
Total	57	42	45	56	60	812

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	25	13	14	27	15	345
Black, not Hispanic	32	27	30	26	43	451
Hispanic	0	*	*	*	*	11
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	*	0	1
Unknown/Multiple Race	0	*	*	0	*	3
Total	57	42	45	56	60	812

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	21	11	9	18	12	283
White, not Hispanic: Female	*	*	5	9	*	62
Black, not Hispanic: Male	16	18	23	22	31	310
Black, not Hispanic: Female	16	9	7	*	12	141
Hispanic: Male	0	*	*	0	*	8
Hispanic: Female	0	0	0	*	0	3
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	*	0	1
Unknown/Multiple Race: Male	0	*	0	0	0	1
Unknown/Multiple Race: Female	*	0	*	0	0	2
Total	57	42	45	56	60	812

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	*	0	*	10
13-14	0	0	0	0	0	0
15-24	6	8	9	9	7	131
25-34	18	9	8	15	13	280
35-44	18	20	13	17	22	250
45-54	8	*	9	11	10	90
55-64	*	*	*	*	7	42
>=65	*	0	*	*	*	9
Total	57	42	45	56	60	812

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	17	11	11	17	15	286
Injection drug use (IDU)	9	*	*	6	6	119
Male-to-male sex and IDU	*	*	*	0	*	45
Heterosexual contact	15	13	13	17	19	204
Mother with/at risk for HIV	*	0	*	0	0	9
Other/unknown	10	12	13	16	*	149
Total	57	42	45	56	60	812

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in WTR [West Tennessee Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	16	18	12	15	23	196
Females	8	6	7	9	11	96
Total	24	24	19	24	34	292

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	12	7	*	10	10	106
Black, not Hispanic	12	16	16	13	23	182
Hispanic	0	0	0	0	*	2
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	*	0	*	0	1
Unknown/Multiple Race	0	*	*	*	*	1
Total	24	24	19	24	34	292

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	9	5	*	5	8	76
White, not Hispanic: Female	*	*	*	5	*	30
Black, not Hispanic: Male	7	12	11	10	14	117
Black, not Hispanic: Female	5	*	5	*	9	65
Hispanic: Male	0	0	0	0	*	2
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	*	0	1
Unknown/Multiple Race: Male	0	*	0	0	0	1
Unknown/Multiple Race: Female	*	0	0	0	0	0
Total	24	24	19	24	34	292

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in WTR [West Tennessee Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	*	0	0	7
13-14	0	0	0	0	0	0
15-24	5	6	7	*	6	68
25-34	10	6	*	*	9	97
35-44	*	10	5	9	12	86
45-54	*	*	0	6	6	25
55-64	*	0	*	*	*	9
>=65	0	*	0	0	*	0
Total	24	24	19	24	34	292

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in WTR [West Tennessee Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	8	7	5	5	9	86
Injection drug use (IDU)	*	*	*	*	*	36
Male-to-male sex and IDU	*	*	*	0	*	12
Heterosexual contact	5	9	*	7	9	91
Mother with/at risk for HIV	*	0	*	0	0	7
Other/unknown	*	5	6	*	12	60
Total	24	24	19	24	34	292

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	25	19	20	30	33	406
Females	14	9	10	8	10	114
Total	39	28	30	38	43	520

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	16	6	12	20	11	239
Black, not Hispanic	23	20	17	17	29	269
Hispanic	0	*	0	*	*	9
Asian/Pacific Islander	0	0	*	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	*	*	*	*	2
Total	39	28	30	38	43	520

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	13	6	10	15	8	207
White, not Hispanic: Female	*	0	*	5	*	32
Black, not Hispanic: Male	12	12	10	15	23	193
Black, not Hispanic: Female	11	8	7	*	6	76
Hispanic: Male	0	*	0	0	*	6
Hispanic: Female	0	0	0	*	*	3
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	*	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	*	*	0	0	0	2
Total	39	28	30	38	43	520

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	*	*	*	5	*	44
25-34	8	8	7	9	7	167
35-44	17	13	10	13	19	183
45-54	7	*	9	8	5	80
55-64	*	*	*	*	7	34
>=65	*	0	0	*	*	10
Total	39	28	30	38	43	520

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	10	8	7	15	10	200
Injection drug use (IDU)	9	*	*	*	7	83
Male-to-male sex and IDU	*	*	*	0	0	33
Heterosexual contact	11	8	8	12	17	113
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	8	9	*	9	89
Total	39	28	30	38	43	520

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in WTR [West Tennessee Region], by year and sex

	2001	2002	2003	2004	2005
Sex	No.	No.	No.	No.	No.
Males	286	299	322	354	384
Females	118	125	134	147	153
Total	404	424	456	501	537

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in WTR [West Tennessee Region], by year and race/ethnicity

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	169	173	182	203	214
Black, not Hispanic	227	241	263	284	308
Hispanic	5	6	7	9	11
Asian/Pacific Islander	*	*	*	*	*
American Indian/Alaska Native	0	0	0	*	*
Unknown/Multiple Race	*	*	*	*	*
Total	404	424	456	501	537

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in WTR [West Tennessee Region], by year and race/ethnicity:sex

	2001	2002	2003	2004	2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	138	140	144	157	166
White, not Hispanic: Female	31	33	38	46	48
Black, not Hispanic: Male	144	153	171	190	209
Black, not Hispanic: Female	83	88	92	94	99
Hispanic: Male	*	5	6	6	8
Hispanic: Female	*	*	*	*	*
Asian/Pacific Islander: Male	0	0	0	0	0
Asian/Pacific Islander: Female	*	*	*	*	*
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	*	*
Unknown/Multiple Race: Male	0	*	*	*	*
Unknown/Multiple Race: Female	*	*	*	*	*
Total	404	424	456	501	537

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in WTR [West Tennessee Region], by year and current age

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	6	6	6
13-14	*	*	0	0	0
15-24	6	8	13	19	26
25-34	82	91	99	113	119
35-44	161	169	175	188	207
45-54	105	109	118	128	130
55-64	37	34	34	35	38
>=65	9	9	11	12	11
Total	404	424	456	501	537

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in WTR [West Tennessee Region], by year and exposure category

	2001	2002	2003	2004	2005
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	143	145	153	164	177
Injection drug use (IDU)	69	70	70	75	76
Male-to-male sex and IDU	23	25	26	26	27
Heterosexual contact	119	127	138	153	165
Mother with/at risk for HIV	*	*	6	6	6
Other/unknown	*	*	63	77	86
Total	404	424	456	501	537

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by year of death and sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	9	*	*	*	15	218
Females	5	*	*	*	9	57
Total	14	22	13	11	24	275

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by year of death and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	5	9	5	6	*	131
Black, not Hispanic	9	13	8	5	19	143
Hispanic	0	0	0	0	0	0
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	*	1
Total	14	22	13	11	24	275

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	9	5	5	*	117
White, not Hispanic: Female	*	0	0	*	*	14
Black, not Hispanic: Male	5	9	5	*	12	101
Black, not Hispanic: Female	*	*	*	*	7	42
Hispanic: Male	0	0	0	0	0	0
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	*	*	0	*	1
Total	14	22	13	11	24	275

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by year of death and age at death

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	3
13-14	0	0	0	0	0	0
15-24	*	*	0	0	0	16
25-34	*	*	*	0	5	84
35-44	7	8	5	5	5	85
45-54	*	*	*	*	8	49
55-64	*	5	*	*	*	30
>=65	*	0	0	0	*	8
Total	14	22	13	11	24	275

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by year of death and exposure category

Exposure category	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
Male-to-male sex	5	9	*	6	*	109
Injection drug use (IDU)	*	*	*	*	5	43
Male-to-male sex and IDU	0	*	*	0	*	18
Heterosexual contact	*	5	*	*	7	39
Mother with/at risk for HIV	0	0	0	0	0	3
Other/unknown	6	5	*	*	9	63
Total	14	22	13	11	24	275

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.